

DECOBAR - (DB) SERIES

WET / DRY / CABLE SUSPENDED / SURFACE MOUNT FIXTURES



PROJECT

TYPE

NOTES

FEATURES

CONSTRUCTION

High Quality Extruded Aluminum which is lighter and more weather resistant than steel – produced in 1", 2", and 3" wide housing channels up to 12' in a single section. Longer runs available with butt seams.

FINISH

Anodized Satin Aluminum, White and Black are standard finishes with the option for any custom powder coat finish giving superior finishes that are resistant to chipping, fading, and scratching.

DROP STYLES

Wide Assortment of custom shapes, sizes, finishes, and designs to fit and compliment any ambiance.

LIMITLESS CUSTOMIZATION




Where imagination and innovation converge. Whether its straight runs, curves, patterns, shapes, drop variations, or colors; Our simple platform for Decobar allows for easy customization.

EASY INSTALLATION

Either surface or suspended mount, Decobar is designed to have one-single feed point for a quick and smooth installation.

WET-RATED

Our 120V system has been tested and approved for indoor/outdoor wet locations. Conforms to IP65



| SERIES | CHANNEL SIZE & FINISH | CHANEL LENGTH | CHANNEL CONFIGURATION | MOUNTING | DROP STYLE | DROP SPACING | CORD | LAMP | |
|----------------------|------------------------------------|--|-----------------------|-------------------------|--------------------------------------|-------------------|--------------------------|------------------------------------|--|
| DB/D DRY DAMP | SELECT FROM PAGE 3 | 1' - 12' | ST STRAIGHT | SM SURFACE MOUNT | SELECT FROM PAGE 7.8 | 12 12" O/C | 36B 36" BLACK | SELECT FROM PAGE 9 | |
| DB/W WET | | OTHER SPECIFY SEE PAGE 3 | CV CURVED | CABLE SUSPENDED | | 18 18" O/C | 36W 36" WHITE | | |
| | | | MC MITER CUT | | | 24 24" O/C | 36" STANDARD FIELD | | |
| | | | CD CUSTOM | | | 36 36" O/C | ADJUSTABLE OTHER SPECIFY | | |
| | | | | SK36 36" KIT | | OTHER SPECIFY | | | |
| | | | | SK48 48" KIT | | | | | |

(DB) - DECOBAR

FIXTURE DRAWING & OPTIONS




PROJECT

TYPE

APPROVED BY:

DATE:

NOTES



STEP 1

STEP 2

STEP 3

STEP 4

STEP 5

STEP 6


STEP 7

STEP 8


STEP 9

| SERIES | CHANNEL SIZE & FINISH | CHANNEL LENGTH | CHANNEL CONFIGURATION | MOUNTING | DROP STYLE | DROP SPACING | CORD | LAMP |
|---------------|------------------------------------|--|-----------------------|------------------|--|---------------|--------------------|------------------------------------|
| DB/D DRY DAMP | SELECT FROM PAGE 3 | 1' - 12' | ST STRAIGHT | SM SURFACE MOUNT | SELECT FROM PAGE 7 & 8 | 12 12" O/C | 36B 36" BLACK | SELECT FROM PAGE 9 |
| DB/W WET | | OTHER SPECIFY SEE PAGE 3 | CV CURVED | CABLE SUSPENDED | | 18 18" O/C | 36W 36" WHITE | |
| | | | MC MITER CUT | | | 24 24" O/C | 36" STANDARD FIELD | |
| | | | CD CUSTOM | | | 36 36" O/C | ADJUSTABLE | |
| | | | | SK36 36" KIT | | OTHER SPECIFY | OTHER SPECIFY | |
| | | | | SK48 48" KIT | | | | |


CHANNEL SIZE OPTIONS




MC12 / W WHITE
MC12 / B BLACK
MC12 / S SATIN
MC12 / CC CUSTOM



MC21 / W WHITE
MC21 / B BLACK
MC21 / S SATIN
MC21 / CC CUSTOM



MC22 / W WHITE
MC22 / B BLACK
MC22 / S SATIN
MC22 / CC CUSTOM



MC32 / W WHITE
MC32 / B BLACK
MC32 / S SATIN
MC32 / CC CUSTOM

All channels are of a high quality extruded aluminum, up to 12' long. See below for finish options.

CHANNEL FINISH OPTIONS



W - WHITE
(Poder Coat, Standard)



S - SATIN
(Clear Anodized, Standard)



B - BLACK
(Poder Coat, Standard)



CC - CUSTOM COLOR
(Not standard, Consult Factory)

White, Satin and Black are standard finishes.
Finish part number is already included in the above channel size part number.
The actual color of the product may vary from what is seen on electronic devices.
We cannot guarantee that the color you see on your screen accurately reflects the true color of the product.


CHANNEL LENGTH OPTIONS

| NOMINAL LENGTH | 1' | 2' | 3' | 4' | 5' | 6' | 7' | 8' | 9' | 10' | 11' | 12' | OTHER |
|----------------|----|----|----|----|----|----|----|----|----|-----|-----|-----|---------|
| ACTUAL LENGTH | 1' | 2' | 3' | 4' | 5' | 6' | 7' | 8' | 9' | 10' | 11' | 12' | SPECIFY |

The above lengths are standar lengths for straight configuration only.
Channel lengths can be ordered in shorter or longer lengths than the ones specified above.
12' Long is the maximum length in one single & continuous channel, longer lengths are available by connecting multiple channels.
Custom patterns, custom curved and custom runs configuration require a drawing or template.


(ST) - STRAIGHT

For lengths options and details for straight configurations [\(See page 3\)](#)




(CV) - CUSTOM CURVED

This configuration allows the design of full or partial circles & custom curved patterns.
Custom curved configuration designs require a drawing or template including radius information.





(MC) - MITER CUT PATTERN CONFIGURATION

Miter cut pattern configuration designs require a drawing or template.



(CD) - CUSTOM DESIGNS

Custom designs require drawings or templates. The designs displayed below are only examples and may not be suitable for some applications that can result in damage to the product and/or create hazardous situations for outdoor and wet location applications. Consult the factory if you have any questions or need help with your idea or custom designs.



(DB) - DECOBAR


MOUNTING OPTIONS & DETAILS



SURFACE MOUNT (Dry / Damp / Wet)

Surface mounted channels are shipped undrilled for maximum field versatility. Pre-drilled mounting holes & power service hole available on request, consult factory with details.

- Black or gray cord grips are preinstalled in factory.
- Drop fixtures require to be installed in the field




CABLE SUSPENDED (Dry / Damp)

SK36 36" Suspension Kit
SK48 48" Suspension Kit
Other cable lengths available.

EACH SUSPENSION KIT INCLUDES:

- (2) Top Fittings for 1/4-20 Rod (1/4-20 Rod by Others)
- (2) Adjustable Bottom Fittings (Pre attached to mounting channel)
- (2) Aircraft Cables
- (1) 5" Canopy With Mounting Hardware
- (1) 2" Canopy
- (1) Prewired to mounting channel 18/3 Black or White Power Cord
- (1) Cord grip

- Canopies to match channel finish
- Fixture lengths over 8' require center cable support
- Custom pendant spacing available, consult factory
- Black or gray cord grips are preinstalled in factory.
- Drop fixtures require to be installed in the field




CABLE SUSPENDED (Wet)

SK36 36" Suspension Kit
SK48 48" Suspension Kit
Other cable lengths available.

EACH SUSPENSION KIT INCLUDES:

- (2) Top Fittings for 1/4-20 Rod (1/4-20 Rod by Others)
- (2) Adjustable Bottom Fittings (side exit) (pre attached to mounting channel)
- (2) Aircraft Cables
- (1) Prewired 18/3 Black or White Power Cord
- (1) Cord Grip

- W/P J Box not included (by others)
- Fixture lengths over 8' require center cable support
- Black or gray cord grips are preinstalled in factory.
- Drop fixtures require to be installed in the field



ACRYLIC DROPS



SPHERES

8" **DDS8** / FINISH
10" **DDS10** / FINISH
12" **DDS12** / FINISH



QUBES


8" **DDQ8** / FINISH
10" **DDQ10** / FINISH
12" **DDQ12** / FINISH




TUBES

4x8" **DDAT 4X8** / FINISH
4x12" **DDAT 4X12** / FINISH
6x8" **DDAT 6X8** / FINISH
6x12" **DDAT 6X12** / FINISH
*Top cap matches channel finish


FINISH OPTIONS



C - CLEAR
(Standard)



O - OPAL WHITE
(Standard)



F - FROSTED
(Standard)



CC - CUSTOM COLOR
(Not Standard, Consult Factory)

ALUMINUM & BRASS DROPS



CONES

8" **DDC8** / FINISH
10" **DDC10** / FINISH
12" **DDC12** / FINISH



DOMES

8" **DDD8** / FINISH
10" **DDD10** / FINISH
12" **DDD12** / FINISH



PERFORATED TUBES

4x8" **DDPT4X8** / FINISH
4x12" **DDPT4X12** / FINISH
6x8" **DDPT6X8** / FINISH
6x12" **DDPT6X12** / FINISH

FINISH OPTIONS



AB - AGED BRASS
(Acid Etched, Standard)



VB - VERDE BRASS
(Acid Etched, Standard)



W - WHITE
(Powder Coat, Standard)



S - SILVER
(Powder Coat, Standard)



B - BLACK
(Powder Coat, Standard)



CC - CUSTOM COLOR
(Not Standard, Consult Factory)

STEEL, ALUMINUM & BRASS CAGES & GUARDS DROPS



ROUND CAGES

8" **DDRC8** / FINISH
10" **DDRC10** / FINISH
12" **DDRC12** / FINISH
(Steel)



REFLECTOR GUARD


8" **DDRG8** / FINISH
10" **DDRG10** / FINISH
12" **DDRG12** / FINISH
(Aluminum, Brass Reflector)
(Steel wireguard)




SQUARE CAGES

5X6" **DDSC5X6** / FINISH
7.5X8.5" **DDSC7X8** / FINISH
9.5X10.5" **DDSC9X10** / FINISH
(Aluminum)

FINISH OPTIONS



W - WHITE
(Powder Coat, Standard)



S - SILVER
(Powder Coat, Standard)



B - BLACK
(Powder Coat, Standard)




CC - CUSTOM COLOR
(Not Standard, Consult Factory)

SOCKET DROPS & CUSTOM DESIGN DROPS



SOCKET & LAPM ONLY

DD / FINISH
(Aluminum, Brass)



CUSTOM DESIGN

AVAILABLE, CONSULT FACTORY

FINISH OPTIONS



AB - AGED BRASS
(Acid Etched, Standard)



VB - VERDE BRASS
(Acid Etched, Standard)



W - WHITE
(Powder Coat, Standard)



S - SILVER
(Powder Coat, Standard)



B - BLACK
(Powder Coat, Standard)



CC - CUSTOM COLOR
(Not Standard, Consult Factory)

TRADITIONAL LAMPS, Wet Rated, Outdoor / Indoor (Dim to Off)



G16.5, 3.5W, 325L

G16/C/24 24K, CLEAR
G16/W/24 24K, WHITE
G16/C/27 27K, CLEAR
G16/W/27 27K, WHITE



S14, 1.5W, 150L

S14/C/24 24K, CLEAR
S14/W/24 24K, WHITE
S14/C/27 27K, CLEAR
S14/W/27 27K, WHITE



G25, 3.5W, 350L

G25/C/24 24K, CLEAR
G25/W/24 24K, WHITE
G25/C/27 27K, CLEAR
G25/W/27 27K, WHITE



G40, 4.5W, 500L

G40/C/24 24K, CLEAR
G40/W/24 24K, WHITE
G40/C/27 27K, CLEAR
G40/W/27 27K, WHITE



A15, 3.5W, 250L, 12V

A15/12/27 27K, CLEAR
 Low Voltage transformer
 required for this lamp
 (Non Dimming)

The above lamps dim to off using ELV/TE dimmer

VINTAGE LAMPS, Wet Rated, Outdoor / Indoor (Dim to off)



VC19, 3.5W, 22K, 350L

VC19/AG/22

AMBER GLASS



ST19, 3.5W, 22K, 350L

ST19/AG/22

AMBER GLASS



G25, 3.5W, 22K, 350L

G25/AG/22

AMBER GLASS



G40, 3.5W, 22K, 350L

G40/AG/22

AMBER GLASS



T10, 3.5W, 22K, 350L

T10/AG/22

AMBER GLASS

The above lamps dim to off using ELV/TE dimmer

SPECIALTY / ELEGANT LAMPS, Indoor Only



A19, 7.5W, 22K-65K, 800L

A19/CT/800

TUNABLE WHITE



G31, 7W, 20K-28K, 600L

G31/MW/DW/600

MATT WHITE, DIM TO WARM



G30, 6W, 22K, 420-480L

G30/TG/DW/420 TINTED GLASS


G30/C/DW/480 CLEAR GLASS



G47, 8W, 20K-28K, 680L

G47/MW/DW/680

MATT WHITE, DIM TO WARM



A52, 3W, 22K, 150L

A52/TG/22/150

TINTED GLASS

Consult factory for a different lamp shape, lumens, color or any other special features