


COVE 2 (CV2) SERIES



CV2
COVE 2


SERIES	LED TYPE	LUMENS	DRIVER	CONFIGURATION	MOUNTING	FINISH	LENGTH	
CV2 COVE 2	STANDARD LED		FOR STANDARD LED		FLX FIELD CURVABLE ST STRAIGHT PTN STRAIGHT PATTERN	SM STANDARD MOUNT TB TAB MOUNT (Optional)	SPECIFY	
	27K 2700k	L LOW	UNV0% 0-10V0%	S SATIN (Standard)				
	30K 3000k	M MEDIUM	UNV1% 0-10V1%					W WHITE (Standard)
	35K 3500k	H HIGH	UNV10% 0-10V10%					
40K 4000k	CL CUSTOM LUMENS	UNVCD% 0-10VCD TRIAC 2 WIRE DALI DALI LTRN LUTRON	B BLACK (Premium)					
CV2 COVE 2	SPECIAL LED		FOR SPECIAL LED		PTN STRAIGHT PATTERN	C CUSTOM (Premium)	A ANTIMICROBIAL (Premium)	
	R RED	Specify	Refer to driver					
	G GREEN	required	options in					
	B BLUE	lumens	compatibility chart					
	RGBW RGBW	or	or					
DTW DIM TO WARM	consult factory	consult factory						
TW TUNABLE WHITE								




25072 Anza Dr
Valencia, CA 91355
661.495.5700
primuslighting.com

Job Name: _____ Type: _____
 Part No: _____
 SO / Quote No: _____ Dwg Date: _____ Revised Date: _____
 Approved By: _____ Date: _____

COVE 2 (CV2) SERIES



(FLX) FIELD CURVABLE
For curved lengths



(FLX) FIELD CURVABLE
For complete circles

* Required Measurements For Complete Circles




25072 Anza Dr
Valencia, CA 91355
661.495.5700
primuslighting.com


Job Name:	_____	Type:	_____
Part No:	_____		
SO / Quote No:	_____	Dwg Date:	Revised Date:
Approved By:	_____	Date:	_____

COVE 2 (CV2) SERIES

(ST) STRAIGHT




(PTN) STRAIGHT PATTERN




SELECT CORNER STYLE

Whipped Corner



Miter Cut Corner



* Required Measurements For Patterns



25072 Anza Dr
Valencia, CA 91355
661.495.5700
primuslighting.com

Job Name: _____
Part No: _____
SO / Quote No: _____
Approved By: _____

Type: _____
Dwg Date: _____
Revised Date: _____
Date: _____