



COVE 5 (CV5) SERIES



CV5-FL
COVE 5 FLAT LENS



CV5-RL
COVE 5 ROUNDED LENS

SERIES	LED TYPE	LUMENS	DRIVER	OPTIONS	ENDCAPS	MOUNTING	FINISH	LENGTH
CV5 - FL COVE 5 FLAT LENS	STANDARD LED		FOR STANDARD LED		EM PACKS	SM STANDARD MOUNT	S SATIN (Standard)	STANDARD
	27K 2700k	L LOW	UNV0% 0-10V0%	EM1	BEK			
CV5 - RL COVE 5 ROUNDED LENS	30K 3000k	M MEDIUM	UNV1% 0-10V1%	EM2	OEK	ONE END K/O	W WHITE (Standard)	3'
	35K 3500k	H HIGH	UNV10% 0-10V10%	SENSORS	BE BLANK ENDCAPS	TB TAB MOUNT (Optional)	B BLACK (Premium)	4'
	40K 4000k	CL CUSTOM LUMENS	UNVCD% 0-10VCD					1400 LUMENS
	SPECIAL LED		FOR SPECIAL LED		MSP		C CUSTOM (Premium)	6'
	R RED	Specify	Refer to driver	BI-LEVEL			7'	
	G GREEN	required	options in	SENSOR			8'	
B BLUE	lumens	compatibility chart				9'		
RGBW RGBW	or	or				10'		
DTW DIM TO WARM	consult factory	consult factory				11'		
TW TUNABLE WHITE						12'		
							CUSTOM Specify	
							A ANTIMICROBIAL (Premium)	PTN Pattern



25072 Anza Dr
Valencia, CA 91355
661.495.5700
primuslighting.com

Job Name: _____ Type: _____

Part No: _____


SO / Quote No: _____ Dwg Date: _____ Revised Date: _____

Approved By: _____ Date: _____


COVE 5 (CV5) SERIES

STANDARD LENGTHS

NOMINAL LENGTH	2'	3'	4'	5'	6'	7'	8'	9'	10'	11'	12'
ACTUAL LENGTH	25"	34"	49"	56"	73"	89"	97"	111"	121"	133"	145"



CUSTOM LENGTHS



25072 Anza Dr
 Valencia, CA 91355
 661.495.5700
 primuslighting.com

Job Name:	_____	Type:	_____
Part No:	_____		
SO / Quote No:	_____	Dwg Date:	Revised Date:
Approved By:	_____	Date:	_____


COVE 5 (CV5) SERIES

(PTN) PATTERN




SELECT CORNER STYLE

Whipped Corner



Miter Cut Corner



* Required Measurements For Patterns



25072 Anza Dr
 Valencia, CA 91355
 661.495.5700
 primuslighting.com

Job Name:	_____	Type:	_____
Part No:	_____		
SO / Quote No:	_____	Dwg Date:	Revised Date:
Approved By:	_____		Date: