

DECODROP (DD) SERIES

WET RATED PENDANT



PROJECT

TYPE

NOTES

FEATURES

ENGINEERED FOR OUTDOOR WET ENVIRONMENTS

Decodrop is a fully ETL listed for wet, damp, and dry locations and is engineered to permanent outdoor exposure. A sealed cord grip system, UV-rated cord, and specification-grade components allow the fixture to withstand rain, moisture, and demanding exterior environments without compromising its decorative aesthetic.

ARCHITECTURAL VERSATILITY

Designed as an open decorative pendant, Decodrop offers both exposed-lamp and enclosed shade options to suit a wide range of outdoor and interior applications. Its adaptable aesthetic integrates seamlessly into hospitality, landscape, commercial, and residential environments, providing flexibility without compromising performance.

CUSTOM FINISH CAPABILITY

With an extensive range of shade styles, Decodrop supports powder coat, brushed, raw, and custom RAL finished. Interior and exterior shade surfaces can be finished in contrasting colors to create enhanced glow effects and project-specific visual impact.

SERIES	SHADES	FINISH	CORD	LAMPS	MOUNTING	QUANTITY
DD/W WET	SELECT FROM SHADE PAGES 3,4,5,6,7	METAL SHADES DB - DARK BRONZE VB - VERDE BRONZE B - BLACK S - SATIN W - WHITE BA - BRUSHED ALUMINUM RB - RAW BRASS BC - BRASS C - CUSTOM ACRYLIC SHADES C - CLEAR W - WHITE F - FROSTED R - RED Y - YELLOW B - BLUE P - PURPLE G - GREEN O - ORANGE	BLACK CORD B4 - BLACK 4' B6 - BLACK 6' B8 - BLACK 8' B() - BLACK CUSTOM (SPECIFY) WHITE CORD W4 - WHITE 4' W6 - WHITE 6' W8 - WHITE 8' W() - WHITE CUSTOM (SPECIFY)	SELECT FROM LAMPS PAGE 10	WET LOCATION WJBW - WET RATED J-BOX WHITE WJBG - WET RATED J-BOX GRAY DRY / DAMP LOCATION SCW - STANDARD CANOPY WHITE SCB - STANDARD CANOPY BLACK SCMF - STANDARD CANOPY MATCH FIXTURE NON - NONE (BY OTHERS)	SPECIFY
DD/D DRY / DAMP						
Refer to PG. 1,2.	Refer to PG. 3, 4, 5, 6,7.	Refer to PG. 8.	Refer to PG. 9.	Refer to PG. 10.	Refer to PG. 11.	



DECODROP (DD) SERIES


SERIES - SPECIFICATIONS



SERIES


DD/W

DECODROP WET



DD/D

DECODROP DRY / DAMP



SPECIFICATIONS

- VOLTAGE** 120 volts system. No drivers or transformers required. Consult factory for 12 volts.
- SOCKET** Medium base heavy duty porcelain and phenolic grounded sockets.
- CORD** 18/3 SVT, SJT or SO black or white jacket, 4', 6' and 8' standard lengths. Refer to page 9 for details and options.
- CORD GRIP** Black, white and light gray. Refer to page 9 for details and options.
- SHADE** Available in a wide range of shapes, sizes and finishes, made with aluminum, brass, steel, acrylic and glass. Refer to pages 3, 4, 5, 6, 7 for details and options. Consult factory for other materials, other designs and sizes.
- LAMP** 120V LED, medium base. Refer to page 10 for standard lamps (included) and other premium lamps options, styles, color, wattage and color temperatures. Consult factory for other lamp requirements.
- MOUNTING** Wet rated junction box for wet location and standard canopy for dry/damp location. (not included) Refer to page 11 for all wet / dry / damp mounting details and options.

COMPLIANCE CERTIFICATIONS



DECODROPS (DD) SERIES

SHADES - METAL



CUP

CUP8 | 17/8" W X 2 3/4" H

MATERIAL
ALUMINUM / BRASS

FINISHES

- S** STANDARD
- P** PREMIUM

Shown: Brushed Aluminum (Premium)



CONE

CNE8 | 8" W X 4" H
CNE10 | 10" W X 5" H
CNE12 | 12" W X 6" H

MATERIAL
ALUMINUM / BRASS

FINISHES

- S** STANDARD
- P** PREMIUM

White interior available
Shown: Dark Bronze (Standard)



RING


RNG8 | 8" DIA.
RNG10 | 10" DIA.
RNG12 | 12" DIA.

MATERIAL
STEEL / ALUM / BRASS
1/2" X 1/8"

FINISHES

- S** STANDARD
- P** PREMIUM

Shown: Black (Standard)



DOM

DME8 | 8" W X 4" H
DME10 | 10" W X 5" H
DME12 | 12" W X 6" H

MATERIAL
ALUMINUM / BRASS

FINISHES

- S** STANDARD
- P** PREMIUM

White interior available
Shown: Brushed Aluminum (Premium)



DISC

DSC8 | 8" DIA.
DSC10 | 10" DIA.
DSC12 | 12" DIA.

MATERIAL
ALUMINUM / BRASS

FINISHES

- S** STANDARD
- P** PREMIUM

Shown: Black (Standard)



HAT

HAT8 | 8" W X 2 1/2" H
HAT10 | 10" W X 3" H
HAT12 | 12" W X 3 1/2" H

MATERIAL
ALUMINUM / BRASS

FINISHES

- S** STANDARD
- P** PREMIUM

White interior available
Shown: Verde Bronze (Standard)

Refer to page 8 for standard and premium finish options. Consult factory for other sizes, shapes, custom designs or other requirements.

DECODROPS (DD) SERIES

SHADES - METAL



TUBE

TBE3/8 | 3" W X 8" H
FOR PAR16

TBE4/8 | 4" W X 8" H
FOR PAR16,20

MATERIAL

ALUMINUM / BRASS

FINISHES

S STANDARD

P PREMIUM

Shown: Black (Standard)



SHELL

SHL8 | 8" W X 6" H

SHL10 | 10" W X 7" H

SHL12 | 12" W X 8" H

Dimensions with guard

MATERIAL

ALUMINUM / BRASS
Guard: Steel
Satin/ Black/White finish

FINISHES

S STANDARD

P PREMIUM

White interior available

Shown: Custom Color (Premium)



BELL

BEL6 | 6" W X 7" H

BEL8 | 8" W X 9" H

BEL10 | 10" W X 11" H

MATERIAL

ALUMINUM / BRASS

FINISHES

S STANDARD

P PREMIUM

White interior available

Shown: Black (Standard)



MILL

MIL10 | 10" W X 7" H

MIL15 | 15" W X 9" H

Dimensions without guard

MATERIAL

ALUMINUM / BRASS
Guard Available: Steel
Satin/Black/White finish

FINISHES

S STANDARD

P PREMIUM

White interior available

Shown: White (Standard)



POD

POD8/11 | 8" W X 11" H

POD10/13 | 10" W X 13" H

Dimensions with guard

MATERIAL

ALUMINUM / BRASS
Guard: Steel
Satin/ Black/White finish

FINISHES

S STANDARD

P PREMIUM

White interior available

Shown: Black (Standard)



OVNI

OVN14 | 14" W X 9" H

OVN18 | 18" W X 12" H

Dimensions with guard

MATERIAL

ALUMINUM / BRASS
Guard: Steel
Satin/ Black/White finish

FINISHES

S STANDARD

P PREMIUM


White interior available

Shown: Custom Color (Premium)

Refer to page 8 for standard and premium finish options. Consult factory for other sizes, shapes, custom designs or other requirements.

DECODROPS (DD) SERIES

SHADES - METAL



ORB

- ORB6** | 6" DIA.
- ORB8** | 8" DIA.
- ORB10** | 10" DIA.

MATERIAL
ALUMINUM / BRASS
3/16" Holes
3 1/2" Opening

- FINISHES**
- S** STANDARD
 - P** PREMIUM

Shown: Custom (Premium)



LANTERN

- LTN4/6** | 4" W X 6" H
- LTN6/8** | 6" W X 8" H

MATERIAL
ALUMINUM / BRASS

- FINISHES**
- S** STANDARD
 - P** PREMIUM

Shown: Black (Standard)




PERFORATED TUBE

- PFT4/6** | 4" W X 6" H
3/16" Holes
- PFT6/8** | 6" W X 8" H
1/4" Holes

MATERIAL
ALUMINUM / BRASS

- FINISHES**
- S** STANDARD
 - P** PREMIUM

Shown: Dark Bronze (Standard)



SQUARE CAGE

- SQC4/6** | 4" W X 6" H
- SQC6/8** | 6.5" W X 8.5" H

MATERIAL
ALUMINUM / BRASS
5/8" Square holes

- FINISHES**
- S** STANDARD
 - P** PREMIUM

Shown: Custom (Premium)



PERFORA

- PFA4/8** | 4" W X 8" H
3/16" Holes
10" Top disc

MATERIAL
ALUMINUM / BRASS

- FINISHES**
- S** STANDARD
 - P** PREMIUM

Shown: Dark Bronze (Standard)



DEPOT

- DPT** | 5.5" W X 7.5" H

MATERIAL
STEEL

- FINISHES**
- S** STANDARD
 - P** PREMIUM

Shown: Black (Standard)

Refer to page 8 for standard and premium finish options. Consult factory for other sizes, shapes, custom designs or other requirements.

DECODROPS (DD) SERIES

SHADES - METAL - ACRYLIC



ATOM

ATM8 | 8" DIA.
ATM10 | 10" DIA.

MATERIAL
STEEL / ALUMINUM/BRASS
1/2" X 1/8"

FINISHES

- S** STANDARD
- P** PREMIUM

Shown: Black (Standard)



BIRD CAGE

BDC8/9 | 8" W X 9" H

MATERIAL
STEEL

FINISHES

- S** STANDARD
- P** PREMIUM

Shown: Satin (Standard)



BUBBLE

BUB6 | 6" DIA.
BUB8 | 8" DIA.
BUB10 | 10" DIA.
BUB12 | 12" DIA.


MATERIAL
ACRYLIC

FINISHES

- S** STANDARD
- P** PREMIUM

Clear bubbles with socket cup in black, satin, white or brushed aluminum (Standard)

Shown: Clear Acrylic (Standard)



ACRYLIC DOME

AD8 | 8" X 4" H
AD10 | 10" X 5" H
AD12 | 12" X 6" H

MATERIAL
ACRYLIC

FINISHES

- S** STANDARD
- P** PREMIUM

Clear domes with socket cup in black, satin, white or brushed aluminum (Standard)

Shown: White Acrylic (Standard)



OVA

OVA | 10" W X 11 1/2" H

MATERIAL
ACRYLIC

FINISHES
PRISMATIC FROSTED

Shown: Prismatic frosted (Standard)



CYLINDER

CYL3/5 | 3 3/4" W X 5 1/4" H
CYL4/7 | 4" W X 7" H

MATERIAL
ACRYLIC

FINISHES

- S** STANDARD

Clear cylinder with socket cup in black, satin, white or brushed aluminum (Standard)

Shown: White Acrylic (Standard)

Refer to page 8 for standard and premium finish options. Consult factory for other sizes, shapes, custom designs or other requirements.

DECODROP (DD) SERIES

SHADES - GLASS - CUSTOM



JAR

JAR4/9 | 4 1/4" W X 9" H

MATERIAL

GLASS


FINISHES

CLEAR

Clear glass with socket cup in black, satin, white or brushed aluminum (Standard)

CONSULT FACTORY FOR OTHER GLASS FINISHES, SIZES OR SHAPES.

Shown: Clear Glass (Standard)



CUSTOM DECODROPS

MOST METAL SHADES CAN BE MADE IN OTHER SIZES NOT SHOWN ON THIS SPEC SHEET, CONSULT FACTORY.

CUSTOM DECODROPS AVAILABLE, PROVIDE YOUR DESIGN OR CONSULT FACTORY.

CONSULT FACTORY FOR ANY OTHER REQUIREMENTS NOT SHOWN ON THIS SPEC SHEET.

METAL DECODROPS FINISHES

All finish options shown below are in powder coat.
 Premium finishes are subject to additional cost.


The actual color of the product may vary from what is seen on electronic devices.

We cannot guarantee that the color you see on your screen accurately reflects the true color of the product.


S STANDARD FINISHES




DB - DARK BRONZE




VB - VERDE BRONZE



B - BLACK



S - SATIN



W - WHITE

P PREMIUM FINISHES



BA - BRUSHED ALUMINUM WITH CLEAR COAT



RB - RAW BRASS



C - CUSTOM COLOR POWDER COAT (Provide RAL#)

ACRYLIC DECODROPS FINISHES

Premium finishes are subject to additional cost.

The actual color of the product may vary from what is seen on electronic devices.

We cannot guarantee that the color you see on your screen accurately reflects the true color of the product.


S STANDARD FINISHES



C - CLEAR



W - WHITE




F - FROSTED

P PREMIUM FINISHES




R - RED



B - BLUE



G - GREEN



Y - YELLOW



P - PURPLE



O - ORANGE

DECODROP (DD) SERIES


CORD



CORD COLOR AND LENGTH

18/3 SVT or SJT black or white jacket, black cord is the most suitable for outdoor wet locations and UV resistant. See below for pre-selected cord and cord grips color combination, consult factory for other cord and cord grip color requirements. Consult factory for stem requirements.


BLACK CORD



CORD LENGTHS

PART NO.	DESCRIPTION
B4	BLACK 4'
B6	BLACK 6'
B8	BLACK 8'
B()	BLACK CUSTOM (SPECIFY)

WHITE CORD



CORD LENGTHS

PART NO.	DESCRIPTION
W4	WHITE 4'
W6	WHITE 6'
W8	WHITE 8'
W()	WHITE CUSTOM (SPECIFY)

DECODROP (DD) SERIES

LAMPS



STANDARD LAMPS, 120V, MEDIUM BASE, WET RATED, OUTDOOR/INDOOR (INCLUDED)



G16.5

PART NO.	DESCRIPTION
G16.5/C/24/350	3.5W 24K, CLEAR
G16.5/C/27/350	3.5W 27K, CLEAR
G16.5/W/27/350	3.5W 27K, WHITE



A19

PART NO.	DESCRIPTION
A19/C/30/800	7.0W 30K, CLEAR
A19/W/30/800	7.0W 30K, WHITE
A19/A/22/360	4.5W 22K, AMBER



G25

PART NO.	DESCRIPTION
G25/C/27/360	4.5W 27K, CLEAR
G25/W/27/360	4.5W 27K, WHITE
G25/A/22/350	3.5W 22K, AMBER



G40

PART NO.	DESCRIPTION
G40/C/27/500	4.5W 27K, CLEAR
G40/W/27/500	4.5W 27K, WHITE
G40/A/22/360	4.5W 22K, AMBER



S14

PART NO.	DESCRIPTION
S14/C/24/150	1.5W 24K, CLEAR
S14/C/27/150	1.5W 27K, CLEAR
S14/W/24/150	1.5W 24K, WHITE

Consult Factory for other colors



ST19

PART NO.	DESCRIPTION
ST19/A/22/360	4.5W 22K, AMBER



T10

PART NO.	DESCRIPTION
T10/C/27/350	3.5W 27K, CLEAR
T10/A/22/360	4.5W 22K, AMBER



PAR 16
PAR 20

PART NO.	DESCRIPTION
PAR16/4K/500	5.5W 4000K
PAR16/3K/500	5.5W 3000K
PAR20/4K/500	7W 4000K
PAR20/3K/500	7W 3000K

PREMIUM LAMPS, 120V, MEDIUM BASE, INDOOR ONLY (NOT INCLUDED)



G31

PART NO.	DESCRIPTION
G31/MW/DW/600	7W MATT WHITE DIM TO WARM 28-20K



G30

PART NO.	DESCRIPTION
G30/C/22/480	6W 22K, CLEAR
G30/TG/22/420	6W 22K, TINTED



G47

PART NO.	DESCRIPTION
G47/MW/DW/680	8W MATT WHITE DIM TO WARM 28-20K



A52

PART NO.	DESCRIPTION
A52/TG/22/150	3W 22K, TINTED

The above lamps dim to off using ELV/TE trailing edge type dimmers.

*Add "SC" at the end of the part number for silicone coated finish example: S14/C/24/150/SC

*The actual finish color of the silicon-coated lamps may vary, resulting in the clear lamps having a frosted appearance.

DECODROP (DD) SERIES

MOUNTING



(WET LOCATION) WET RATED JUNCTION BOX WITH COVER



Wet rated junction box, for surface mount (not included, available from Primus or by others)

Junction box cover with a center hole for a 1/2" cord grip to suspend the Decodrop fixture

The 1/2" Cord grip is included with the Decodrop fixture

The shape of J-box cover may vary

PART NO.	DESCRIPTION
WJBW	WET RATED J-BOX WHITE
WJBG	WET RATED J-BOX GRAY
Consult factory for other J-Box requirements	





(DRY/DAMP LOCATION) STANDARD CANOPY

5" Standard canopy with hardware for a single Decodrop fixture (not included, available from Primus or by others)

See canopy part numbers below for all finish options

PART NO.	DESCRIPTION
SCW	STANDARD CANOPY - WHITE
SCB	STANDARD CANOPY - BLACK
SCMF	STANDARD CANOPY - MATCH FIXTURE FINISH
Consult factory for other canopy requirements	



(NON) NONE

Wet rated junction box, standard canopy or any other mounting method provided by the customer instead.


Consult factory for any other mounting requirements.

DECODROP (DD) SERIES


PHOTOMETRICS / BUG RATINGS



BARE LAMP (S14/1.5W/27K/150L)



PHOTOMETRICS




BUG RATING (B0-U3-G1)


Maximum Candela = 23.392 Located At Horizontal Angle = 30, Vertical Angle = 85
 # 1 - Vertical Plane Through Horizontal Angles (30 - 210) (Through Max. Cd.)
 # 2 - Horizontal Cone Through Vertical Angle (85) (Through Max. Cd.)

Luminaire Lumens:
 Front: Low=2.7, Medium=16.3, High=18.9, Very High=10.5
 Back: Low=2.7, Medium=16.3, High=18.9, Very High=10.5
 Uplight: Low=20.6, High=59.4

LAMP WITH 8" CONE SHADE (S14/1.5W/27K/150L)



PHOTOMETRICS



BUG RATING (B0-U0-G0)
 (Dark Sky Compliant)

Maximum Candela = 22.135 Located At Horizontal Angle = 30, Vertical Angle = 65
 # 1 - Vertical Plane Through Horizontal Angles (30 - 210) (Through Max. Cd.)
 # 2 - Horizontal Cone Through Vertical Angle (65) (Through Max. Cd.)

Luminaire Lumens:
 Front: Low=3.9, Medium=18.2, High=14.3, Very High=0.5
 Back: Low=3.9, Medium=18.2, High=14.3, Very High=0.5
 Uplight:

LAMP CONVERSION CHART TO RATIO IES PHOTOMETRY

LAMP	WATTS	LUMENS MULTIPLIER	
S14 27K	1.5	150	1.0 (Test lamp)
G16.5 27K	2.0	200	1.33
G16.5 27K	3.5	325	2.16
A15 27K	4.5	500	3.33
ST19 22K	3.5	300	2.0