

COVE SERIES



PRIMUS
Shining Brighter, Together!



VERSATILE SOLUTIONS

The Cove Series features four distinct fixtures, each designed for specific lighting solutions. The Cove 1 offers flexibility and compactness for tight spaces, while the Cove 2 prioritizes ease of installation and adaptability. The Cove 5 provides asymmetric light distribution ideal for wall washing and grazing, and the Cove 5+ enhances this with double asymmetric light distribution for voluminous coves and high ceilings. Together, these four products deliver powerful and versatile solutions for a wide range of cove and wall wash/grazing applications.

HIGH QUALITY CONSTRUCTION

Crafted from high-quality precision-extruded aluminum, this fixture boasts a superior strength-to-weight ratio compared to steel, and better corrosion resistance enabling longer runs and enhancing durability.

CUSTOMIZABLE

All Cove fixtures and especially the wider housing of Cove 5 and Cove 5+ allow for seamless integration of a broad range of LED technologies, including 2700K to 4000K, and static colors options.

Additionally, these solutions supports a diverse selection of drivers, emergency packs, finishes, and configurations, enabling comprehensive customization to meet specific lighting needs.




ONLINE PRODUCT PAGES




COVE 1 (CV1)


FIELD CURVABLE COVE / INDIRECT LIGHTING



The Cove 1 (CV1) is the first fixture in the Cove series, featuring a compact 1 3/8" wide profile, ideal for flexible lighting solutions in tight spaces. Designed with remote drivers, it's perfect for applications requiring versatility and precision. Crafted from high-quality precision-extruded aluminum and a acrylic lens that provides even light distribution, while the field-curvable design allows it to follow architectural curves as tight as a 2' radius.




CV1A
COVE 1



CV1A
COVE 1 ASYMMETRIC

(FLX) FIELD CURVABLE




Field curvable feature allows you to shape the fixture to any architectural contour or curve as tight as a 2' radius.

(ST) STRAIGHT



RECTANGULAR, SQUARE, CUSTOM PATTERNS



LED BOARDS



27K
2700K



3K
3000K



35K
3500K



4K
4000K



R
Static Red



G
Static Green



B
Static Blue

LED DRIVERS

UNV 0-10V, DIMMING: 0%, 1%, 10% or Costum Dimming
TRIAC UNV 0-10V, DIMMING: 1% or Custom Dimming


LUMENS

LOW	MEDIUM	HIGH
118 - 478	214 - 840	282 - 1134
Custom up to 1800L Per foot		





(FLX) - FIELD CURVABLE




Field curvable feature allows you to shape the fixture to any architectural contour or curve as tight as a 2' radius.

(ST) - STRAIGHT



RECTANGULAR, SQUARE, CUSTOM PATTERNS



LED BOARDS



27K
2700K



3K
3000K



35K
3500K



4K
4000K



R
Static Red



G
Static Green



B
Static Blue

LED DRIVERS

UNV 0-10V, DIMMING: 0%, 1%, 10% or Costum Dimming
TRIAC UNV 0-10V, DIMMING: 1% or Custom Dimming


LUMENS

LOW	MEDIUM	HIGH
118 - 478	214 - 840	282 - 1134


Custom up to 1800L Per foot

COVE 2 (CV2)


FIELD CURVABLE COVE / INDIRECT LIGHTING



The Cove 2 (CV2) is the second fixture in the Cove series, featuring a 2" wide profile that's ideal for flexible lighting solutions in straight and curved coves. Unlike the Cove 1, which uses remote drivers, the CV2 is designed with integral drivers for easier installation and versatility. Made from high-quality precision-extruded aluminum, it includes an acrylic lens that provides even light distribution. Its field-curvable design allows it to follow architectural curves as tight as a 2' radius.




CV2
COVE 2




CV2A
COVE 2 ASYMMETRIC

COVE 5 - (CV5)




The Cove 5 (CV5) is the third fixture in the Cove series, providing a versatile lighting solution for applications like wall washing, wall grazing, and wall sconces. Its asymmetric light distribution focuses light in one direction, delivering smooth, even illumination for both regular and inverted cove lighting.

HIGH PERFORMANCE COVE / INDIRECT LIGHTING




CV5 - FL
COVE 5 FLAT LENS




CV5 - RL
COVE 5 ROUNDED LENS


COVE 5 + (CV5 +)



The Cove 5+ (CV5+) is the fourth fixture in the Cove series, enhancing the Cove 5's ability to focus light for wall washing, grazing, or wall sconces. Its standout feature is an asymmetric double light distribution that directs light in two directions, providing smooth illumination tailored for high ceilings and voluminous cove applications.




CV5+
COVE 5 PLUS



CV5+A
COVE 5 PLUS ASYMMETRIC

FINISHES



S - SATIN
Standard
(Clear Anodized)



W - WHITE
Standard
(Powder Coat, liquid paint)



B - BLACK
Premium
(Powder Coat)



C - CUSTOM COLOR
Premium
(Powder Coat, Provide RAL#)



A - ANTI MICROBIAL
Premium
(Powder Coat White)

(ST) - STRAIGHT


Straight fixtures can be made up to 12' long in one single and cotinuous housing.
Longer runs are made in th field by connecting multiple fixtures.




RECTANGULAR, SQUARE, CUSTOM PATTERNS

Rectangular, square and custom patterns are made with multiple straight fixtures.

Miter Cut Corner



Whipped Corner



LED BOARDS



27K
2700K



3K
3000K



35K
3500K



4K
4000K



R
Static Red



G
Static Green



B
Static Blue

LUMENS

LOW	236 - 956
MEDIUM	428 - 1680
HIGH	564 - 2268
CUSTOM	up to 3000/FT

LED DRIVERS

UNV 0-10V
0%, 1%, 10% or Costum Dimming
TRIAC UNV 0-10V
1% or Custom Dimming

EM PACKS

500 LUMENS 90 MINUTES
1000 LUMENS 90 MINUTES





www.primuslighting.com

© COVE • V3 - 09/2026 PRIMUS LIGHTING ALL RIGHTS RESERVED

